INDEX TO VOLUME XXIX

ACHESON, R. M., and JEFFERSON, E.: Some observations on closure of anterior fontanelle, 196
Acidosis, renal, idiopathic, in infancy, 326
Adenoma, bronchial, in childhood, 360
Adrenocortical failure, female pseudohermaphroditism with, in identical twins, 132

African children, pulmonary tuberculosis in, 213 Age in children when growth in stature ceases, 147 ALDERS, N.: Scrotal gangrene in newborn baby, 160 Allergic diseases, urinary excretion of histamine in (abstract), 367

Anaemia, atypical congenital haemolytic, 457 of prematurity, early (abstract), 365
—, effect of cobalt and iron salts on, 85

hypoplastic, after chloramphenicol, treatment of. 57

ANDERSON, J. P., see MILLER, F. J. W., and ANDERSON, J. P.

ANDREWS, L. G.: Intestinal polyposis associated with melanosis oris, 455

Antigen, triple, immunization of infants with, 175

Antigen, triple, immunization of infants with, 175
APLEY, J., and PERRY, C. B.: Six-year survey of cases
seen at a school cardiac clinic, 317
ARNEIL, G. C.: Hypertensive plasma factor in acute
nephritis (abstract), 367
ARTHURTON, M., O'BRIEN, D., and MANN, T.:
Haemoglobin levels in premature infants, 38
Ascites, neonatal, associated with urethral obstruc-

tion, 565 Asphyxia neonatorum due to nasopharyngeal

254 teratoma,

AUBREY, J., see Crosse, V. M., et al.

AYLETT, P.: Five cases of acute infective polyneuritis in children, 531

Back, E. H., see France, N. E., and Back, E. H. Barlow, J., see Illingworth, R. S., and Barlow, J. Beasley, D. M. G., Chesterman, J. T., and Harvey, Pulmonary artery aneurysm in young child, 346

BEDWELL, G. A., and DAWSON, A. M.: Chronic myeloid leukaemia in child presenting as acute poliomyelitis, 78

BICKEL, H., and THURSBY-PELHAM, D. C.: Hyperamino-aciduria in Lignac-Fanconi disease, in galactosaemia and in an obscure syndrome, 224 Birth, asphyxia at, due to nasopharyngeal teratoma,

, —, foetal distress and (abstract), 365 weight and subsequent weight in childhood,

relation between, 220
Blood cells, red, transfused, survival of, in rheumatic fever, with reference to a latent haemolytic mechanism, 201

clotting factors, transitory absence of several, in newborn baby, 290

loss during operations on newborn infants, 304 sugar level, control of, in neonatal period, 519
————————————in babies born of diabetic mothers, 28

Bone growth in health and disease, 269

Bonnevie-Ullrich syndrome, 424
BOOKS RECEIVED: BAUMGÄRTEL, T.: Klinische Darmbakteriologie für die ärztliche Praxis, 1954, 268;

Bentley, F. J., et al.: Tuberculosis in childhood and adolescence, 1954, 268; Evans, P., and MacKeith, R.: Infant feeding and feeding difficulties, 2nd edition, 1954, 268; Flechtner, H.-J.: Gesundheit durch Krankheit, 1954, 268; Griebel, R.: Die Mund und Rachenkrankheiten, 1954, C. R.: Die Mund und Rachenkrankheiten, 1954, 268; Guide to film 'Two-year goes to hospital', 1953, 268; Konig, K.: Handicapped child, 1954, 268; MANDE, R.: Manuel pratique de vaccination par le B.C.G., 1954, 268; MYKLEBUST, H. R.: Auditory disorders in children, 1954, 268; Pediatric Clinics of North America (Cardiovascular Diseases), 1954, 268; Vear Book of Pediatrics, 1953, 24, 268

1954, 268; Year Book of Pediatrics, 1953-54, 268 Book Reviews: Advances in pediatrics, Vol. VI, 1953, 266; Anoxia of the newborn infant, 1953, 474; Antibiotics and children's diseases, 1952, 267; BAKWIN, H., and BAKWIN, R. M.: Clinical manage-BAKWIN, H., and BAKWIN, R. M.: Clinical management of behavior disorders in children, 1953, 474; BRAILSFORD, J. F.: Radiology of bones and joints, 5th edition, 1953, 267; BROWNE, F. J.: Advice to expectant mother, 10th edition, 1953, 267; BUNDESEN, H. N.: Natal day deaths, 1953, 473; Congrès International d'Hygiène at de Médecine Scolaire, Deuxième, 1952, 474; DEBRE, R., et al.: Pédiatrie, 1952, 266; DUHAMEL, B.: Chirurgie du nouveau-né et du nourisson, 1953, 265; GORDON, G. S., and LISSER, H., eds.: Endocrinology in clinical practice, 1953, 472; GROSS, R. E.: Surgery of infancy and childhood, 1953, 473; HOTTINGER, A., and HAUSER, F., eds: Modern problems in paediatrics, 578; Joint UN/WHO meeting of experts on the mental health aspects of adoption, paediatrics, 578; Joint UN/WHO meeting of experts on the mental health aspects of adoption, 1953, 268; LAMY, M.: Précis de génétique médicale, 1952, 265; NABARRO, D.: Congenital syphilis, 1954, 472; REQUARTH, W.: Diagnosis of acute abdominal pain, 1953, 474; RUDDER, B. DE: Kinderärztliche Notfallfibel, 2nd edition, 1953, 267; SCHAUFFLER, Notfallfibel, 2nd edition, 1953, 267; SCHAUFFLER, G. C.: Pediatric gynecology, 3rd edition, 1953, 473; SCHERF, F., and SCHOTT, A.: Extrasystoles and allied arrhythmias, 1953, 267; SLAVSON, S. R.: Child psychotherapy, 1953, 266; SPENCE, J., et al.: A thousand families in Newcastle upon Tyne, 1954, 578; WILLIAMSON, B.: Handbook on diseases of children, 7th edition, 1953, 266

British Paediatric Association, Proceedings of 25th General Meeting, 363

————, Windermere Lecture, 1954, 385

Bronchus, adenoma of in childhood, 360

convulsions, 342

BURNETT, D., see LUDER, J., and BURNETT, D. BUTLER, H.: Post-natal changes in intra-abdominal umbilical vein, 427

C

Cardiac clinic, school, six-year survey of cases seen at,

CARRÉ, I. J., WOOD, B. S. B., and SMALLWOOD, W. C.: Idiopathic renal acidosis in infancy, 326

CARTER, F. S.: Primary tuberculosis in African children, 213

CATHIE, I. A. B.: Serology of toxoplasmosis (abstract),

Cerebral diplegia, association with retrolental fibroplasia, 282 - lipoidosis, congenital familial, second case in

same family, 48
— motor defects in infancy, some differential

characteristics of, 113
CHESTERMAN, J. T., see BEASLEY, D. M. G., CHESTERMAN, J. T., and HARVEY, C. C.

Chloramphenicol, effect in Salmonella enteritis of infancy, 238

—, hypoplastic anaemia after, treatment of, 575
Chondro-osteo-dystrophy, seven cases of, 7
CLEMENTS, E. M. B.: The age of children when growth in stature ceases, 147

Cobalt and iron salts, effect on anaemia of prematurity, 85

Colic, three months', 165

Coles, B. L., and James, U.: The effect of cobalt and iron salts on anaemia of prematurity, 85 Coles, W. F. T., see Townsend-Coles, W. F. Collis, E.: Some differential characteristics of

cerebral motor defects in infancy, 113 Collodion skin of newborn, 516

Convulsions, neonatal, prognostic significance of, 342

Conner, B. D., see Brown, N. J., Corner, B. D., and Dodgson, M. C. H.

Couston, T. A.: Mysoline in treatment of recalcitrant idiopathic major epilepsy in mentally defective children. defective children, 323

CRAIG, W. S.: Gargoylism in a twin brother and sister, 293

, see also DAWSON, I. M. P., CRAIG, W. S., and PERERA, F. J. C.

Cretinism, non-endemic goitrous, 571 Creveld, S. van, and Mochtar, I. A.: Transitory absence of several clotting factors in newborn baby, 290
CROME, L.: Epiloia and endocardial fibro-elastosis,

136

CROOKS, J.: Non-inflammatory laryngeal stridor in infants, 12CROSSE, V. M., et al.: Value of human milk compared

with other feeds for premature infants, 178 Cyanosis with petechiae in newborn, 73

Cysto-urethrography, micturating, in investigation of enuresis, 461

D

DAWSON, A. M., see BEDWELL, G. A., and DAWSON,

Dawson, I. M. P., Craig, W. S., and Perera, F. J. C.: Idiopathic hypercalcaemia in infant, 475
Deafness, congenital, and haemolytic disease of

newborn, 309 Debré-de Toni-Fanconi syndrome, 4

Diabetes in childhood (abstract), 365 — insipidus, forms of, 3

Diabetic children, use of insulin zinc suspensions in,

- mothers, blood sugar level in babies born of, 28 , electrolyte-excretion in babies born to (abstract), 365

Diaphragmatic paralysis, unilateral, and Erb's palsy in newborn, 357

Diplegia, cerebral, association with retrolental fibroplasia, 282

Dodgson, M. C. H., see Brown, N. J., Corner, B. D., and Dodgson, M. C. H.

DUDGEON, J. A., see PUGH, R. C. B., and DUDGEON,

J. A. see also Pugh, R. C. B., Newns, G. H., and DUDGEON, J. A.

Dwarfism, renal, tubular insufficiency and, 1

E

Electrolyte-excretion in babies born to diabetic mothers (abstract), 365

ELPHINSTONE, N. C., MORRIS, M. B., and YUDKIN, S.:
Petechiae with cyanosis in newborn, 73

EMERY, J. L.: Laboratory observations on viscidity of meconium, 34 and FINCH, E.: Fat and water content of left

and right liver before and after birth, 242 Emphysema, congenital lobar, 248 mediastinal, non-traumatic, in childhood, 451

Endocarditis, bacterial, complicating septicaemia in an infant, 144

Endocardium, fibro-elastosis of, and epiloia, 136

Enteritis, Salmonella, of infancy, effect of chloramphenicol in, 238

Enuresis, micturating cysto-urethrography in investigation of, 461

Epidermolysis bullosa, 334 Epilepsy, idiopathic, recalcitrant, in mentally defective children, mysoline in treatment of, 323 Epiloia and endocardial fibro-elastosis, 136

Erb's palsy and unilateral diaphragmatic paralysis in newborn, 357

Eyelids, upper, congenital ectropion of, 97

FANCONI, G.: Tubular insufficiency and renal

dwarfism, I
FARQUHAR, J. W.: Control of blood sugar level in neonatal period, 519

FAWCITT, J., see PATTERSON, W. H., and FAWCITT, J. Feeding, infant, evolution of the concepts of, 385 Feeds, complementary—by spoon or bottle? 422

FELDMAN, G. V.: Immunization of infants with triple antigen, 175 Ferguson, A. W.: Use of insulin zinc suspensions in diabetic children, 436

Fibro-elastosis, endocardial, and epiloia, 136

Fibroplasia, retrolental, association of, with cerebral diplegia, 282

FINCH, E., see EMERY, J. L., and FINCH, E.

—, see also Illingworth, R. S., and FINCH, E.
FISCH, L., and OSBORN, D. A.: Congenital deafness and haemolytic disease of newborn, 309
FISHER, O. D.: Intestinal obstruction as late com-

plication of fibrocystic disease of pancreas, 262
—, and Forsythe, W. I.: Micturating cystourethrography in investigation of enuresis, 461
—, and McKee, K. G.: Collodion skin of newborn,
516

Foetal distress and asphyxia at birth (abstract), 365 Fontanelle, anterior, closure of, 196 Forsythe, W. I., see Fisher, O. D., and Forsythe,

W. I.
Fox, E. G., and Hunter, J. L. P.: Chronic myelogenous leukaemia in infancy, 569
FRANCE, N. E.: Unilateral diaphragmatic paralysis

and Erb's palsy in newborn, 357

—, and Back, E. H.: Neonatal ascites associated with urethral obstruction, 565

FRIDAY, F., see MACDONALD, W. B., FRIDAY, F., and

McEachern, M.
Friedlander, F. C., and Kushlick, P.: Trichobezoar, 556

G

Galactosaemia, hyperamino-aciduria in, 224 Gangrene, scrotal, in newborn baby, 160

Gargoylism in a twin brother and sister, 293 GOLDBLOOM, A.: Evolution of the concepts of infant feeding, 385

GREAVES, J. L., WILKINS, P. S. W., and PEARSON, S.: Endocardial fibro-elastosis in identical twins, 447

Growth, age at which it ceases, 147 Guillain-Barre syndrome in children, 531

н

Haemoglobin levels in premature infants, 38 Haemolytic disease of newborn and congenital deafness, 309

Haemosiderosis, pulmonary, essential, as an immuno-haematological problem, 391

HALLUM, J. L., and HATCHUEL, W. L. F.: Congenital paralytic ileus in premature baby as complication of hexamethonium bromide therapy for toxaemia

of pregnancy, 354

Hand-Schüller-Christian disease (abstract), 366

HARNÆS, K., and TORP, K. H.: Pulmonary hyaline membranes in newborn, 199

Picchemical, changes, and osteo-

HARRIS, L. C.: Biochemical changes and osteosclerosis after sulphamezathine therapy in idio-

HART-MERCER, J.: Lipoid reticulo-endotheliosis (abstract), 366

HARVEY, C. C., see BEASLEY, D. M. G., CHESTERMAN, J. T., and HARVEY, C. C.

HATCHUEL, W. L. F., see HALLUM, J. L., and HATCHUEL, W. L. F.

Heart disease, congenital, aetiological factors in (abstract), 367

infancy (abstract), 367

Herdan, G.: Relation between birth weight and subsequent weight in childhood, 220

Hernia, hiatus, with sucrosuria and mental defect (abstract), 367

Herpes simplex, disseminated, hepatic necrosis in, 60

Hexamethonium bromide therapy for toxaemia of pregnancy, congenital paralytic ileus in premature baby as complication of, 354
HICKMANS, E. M., see CROSSE, V. M., et al.
Histamine, urinary excretion of, in allergic diseases

(abstract), 367 HORNE, G. O.: Differential diagnosis of facial and

dental manifestations in congenital syphilis, 123
HOWARTH, B. E., see Crosse, V. M., et al.
HUNTER, J. L. P., see FOX, E. G., and HUNTER, J. L. P.
HUTCHISON, J. H., see McGIRR, E. M., and HUTCHISON, J. H., see McGIRR, A., and SON, J. H.

Hyaline membranes, pulmonary, in newborn, 199 Hyperamino-aciduria in Lignac-Fanconi disease, in galactosaemia and in an obscure syndrome, 224

chemical changes and osteosclerosis after, 232
Hypertensive plasma factor in acute nephritis (abstract), 367

Hypoparathyroidism, chronic, associated with multicystic kidney, 349

idiopathic, associated with moniliasis, 419 exhibiting bone changes, subcutaneous calci-fication or both, cases in the literature, 416 , pseudo-, 398

Hypoproteinaemia and chronic generalized oedema of obscure origin, 507

Idiocy, amaurotic family, congenital familial cerebral lipoidosis resembling, 48
Ileus, congenital paralytic, in premature baby as complication of hexamethonium bromide therapy for toxaemia of pregnancy, 354
ILLINGWORTH, R. S.: Three months' colic, 165
—, and BARLOW, J.: Complementary feeds—by spoon or bottle? 422
—, and FINCH, E.: Chronic generalized oedema

—, and Finch, E.: Chronic generalized oedema and hypoproteinaemia of obscure origin, 507
—, —: Temporary generalized oedema of obscure origin, 513

—, PHILPOTT, M. G., and RENDLE-SHORT, J.: Controlled investigation on effect of diet on acute nephritis, 551

Illness, severe, influence on rickets, 369

Immunization of infants with triple antigen, 175 Infants, feeding; complementary feeds-by spoon or bottle? 422

evolution of the concepts of, 385

, newborn, annular pancreas in, 80 ascites associated with urethral obstruction in, 565

-, -, asphyxia in, due to nasopharyngeal teratoma, 254

, foetal distress and (abstract), 365 , blood loss during operations on, 304 , collodion skin of, 516 , control of blood sugar level in, 519

, convulsions in, prognostic significance of, 342

, fatal poliomyelitis in, 381 , haemolytic disease of, and congenital deafness, 309

, of diabetic mothers, blood sugar levels in, 28

petechiae with cyanosis in, 73 , pulmonary hyaline membranes in, 199 , scrotal gangrene in, 160

, serum protein levels in African, 110
, serum protein levels in African, 110
, thrombocytopenic purpura in, 75, 163
, tissue destruction and renal function in first two days of life influence of events during last

factors in, 290

unilateral diaphragmatic paralysis and Erb's palsy in, 357

-, premature, anaemia of, early (abstract), 365 -, -, effect of cobalt and iron salts on, 85 ___, ___, congenital paralytic ileus in, as com-plication of hexamethonium bromide therapy for

toxaemia of pregnancy, 354

, —, haemoglobin levels in, 38 retinopathy of, 543

value of human milk compared with other feeds for, 178 INGRAM, T. T. S., and KERR, J. D.: Association of

retrolental fibroplasia with cerebral diplegia, 282 Insulin zinc suspensions, use of, in diabetic children, 436

Intestinal obstruction as late complication of fibrocystic disease of pancreas, 262

Iron salts and cobalt, effect on anaemia of prematurity, 85

Isoniazid in treatment of miliary tuberculosis in children, 338

Israelski, M., Kendall, A. C., and Shaw, R. E.:
Case of phaeochromocytoma in childhood, 18
Isbister, C.: Clinical study of draught reflex in human lactation, 66

JACKSON, A. D. M.: Non-endemic goitrous cretinism, JAMES, U., see COLES, B. L., and JAMES, U. JEFFERSON, E., see ACHESON, R. M., and JEFFERSON, E. JONES, R. H. W., see WHITE-JONES, R. H.

KAHN, E.: Neurological syndrome in infants recovering from malnutrition, 256 KEAY, A. J., and Lewis, I. C.: Bonnevie-Ullrich syndrome, 424
KENDALL, A. C., see ISRAELSKI, M., KENDALL, A. C., and SHAW, R. E.

KERR, J. D., and Scott, G. I.: Retinopathy of prematurity, 543

, see also Ingram, T. T. S., and Kerr, J. D. Kesson, C. W.: Asphyxia neonatorum due to nasopharyngeal teratoma, 254

Kidneys, acidosis, idiopathic, in infancy, 326
— function, normal, in first two days of life, 488 influence of events during last few days in utero on, 495

, multicystic, associated with chronic hypopara-thyroidism, 349

, tubular defect, congenital, 44

—, — insufficiency and renal dwarfism, 1 Komrower, G. M.: Blood sugar levels in babies born

of diabetic mothers, 28
—, and Watson, G. H.: Prognosis in idiopathic thrombocytopenic purpura of childhood, 502 Kushlick, P., see Friedlander, F. C., and Kushlick, P.

Lactation, human, draught reflex in, clinical study of,

LARON, Z., see WINTER, S. T., LARON, Z., and MICHAELSON, I. C.

Larynx, non-inflammatory stridor in infants, 12 Leukaemia, chronic myeloid, in child, presenting as acute poliomyelitis, 78

, myelogenous, chronic, in infancy, 569

Lewis, I. C.: Bacterial endocarditis complicating septicaemia in an infant, 144

—, see also Keay, A. J., and Lewis, I. C. Ligamentum teres, formation of, 427

Lignac-Fanconi disease, hyperamino-aciduria in, 224 Lipoidosis, congenital familial cerebral, second case in same family, 48

Liver, fat and water content of right and left, before and after birth, 242
, necrosis of, in disseminated herpes simplex, 60

LORBER, J.: Controlled trial of isoniazid in treatment of tuberculous meningitis (abstract), 366

LUDER, J., and BURNETT, D.: Congenital renal tubular defect, 44 Lungs, honeycomb, and xanthomatosis, 127

hyaline membranes in, in newborn, 199 Lymphoblastomata in children, twelve cases of, 155

M

McCance, R. A., Naylor, N. J. B., and Widdowson, E. M.: Response of infants to a large dose of water, 104

and Widdowson, E. M.: Influence of events during last few days in utero on tissue destruction and renal function in first two days of independent

Normal renal function in first two days of life, 488

McDaniel, W. H.: Epidermolysis bullosa, 334

MACDONALD, A. M., and SHANKS, R. A.: Honeycomb lung and xanthomatosis, 127

MACDONALD, W. B., FRIDAY, F., and McEACHERN, M.: Effect of chloramphenicol in Salmonella

enteritis of infancy, 238

McEachern, M., see Macdonald, W. B., Friday,

F., and McEachern, M.

MacFarlane, J. C. W., and Simpkiss, M. J.: Investigation of large family affected with von Willebrand's disease, 483

McGirr, E. M., and Hutchison, J. H.: Radioiodine in juvenile myxoedema due to ectopic thyroid tissue, 561

MacGregor, M. E., and Whitehead, T. P.: Pseudohypoparathyroidism, 398

MacKay, R. I.: Treatment of tuberculous meningitis (abstract), 366

McKee, K. G., see Fisher, O. D., and McKee, K. G. McLean, M. M.: Chronic idiopathic hypoparathyroidism associated with moniliasis, 419

Malnutrition, neurological syndrome in infants recovering from, 256

Mann, T., see Arthurton, M., O'Brien, D., and Mann, T.

MASTERMAN, L. M., see NEVILLE, M. L., and MASTER-MAN, L. M.
MATHESON, W. J., and WARD, E. M.: Hormonal sex reversal in a female, 22

MAXWELL, G. M.: Twelve cases of lymphoblastomata

in children, 152 Meconium, viscidity of, laboratory observations on,

Mediastinal emphysema, non-traumatic, in childhood,

Melanosis oris, intestinal polyposis associated with,

Meningitis, tuberculous, treatment of (abstract), 366 , isoniazid in, controlled trial of (abstract), 366

Mental defect with sucrosuria and hiatus hernia (abstract), 367

Mentally deficient children, recalcitrant idiopathic epilepsy in, mysoline in treatment of, 323

Mercer, J. H., see Hart-Mercer, J.
Michaelson, I. C., see Winter, S. T., Laron, Z.
and Michaelson, I. C.

Milk, human, value of, compared with other feeds for premature infants, 178

MILLER, F. J. W., and Anderson, J. P.: Two cases of primary tuberculosis after immersion in sewagecontaminated water, 152
MITCHELL, R. G.: Chronic hypoparathyroidism asso-

ciated with multicystic kidney, 349

—: Urinary excretion of histamine in allergic

diseases (abstract), 367 MOCHTAR, I. A., see CREVELD, S. VAN, and MOCHTAR,

MONCRIEFF, A., and WILKINSON, R. H.: Sucrosuria with mental defect and hiatus hernia (abstract), 367 Mongolism in both of monozygotic twins, 55

Moniliasis, chronic idiopathic hypoparathyroidism associated with, 419

Morquio's disease, seven cases of, 7
Morris, M. B.: Thrombocytopenic purpura in newborn, 75

see also Elphinstone, N. C., Morris, M. B., and YUDKIN, S.

Motor defects, cerebral, in infancy, some differential characteristics of, 113
Munro, I. B., see Welsh, T. M., and Munro, I. B.
Murphy, E. F., see Sweetnam, W. P., and Murphy,

Mysoline in treatment of recalcitrant idiopathic major epilepsy in mentally deficient children, 323 Myxoedema, juvenile, due to ectopic thyroid tissue, radioiodine in, 561

Nasopharyngeal teratoma, asphyxia neonatorum due to, 254

NAYLOR, N. J. B., see McCance, R. A., Naylor, N. J. B., and Widdowson, E. M. Nelson, M. G.: Atypical congenital haemolytic

anaemia, 457 Nephritis, acute, effect of diet on, controlled investigation on, 551

, hypertensive plasma factor in (abstract),

Neurological syndrome in infants recovering from malnutrition, 256

NEVILLE, M. L., and MASTERMAN, L. M.: Neonatal thrombocytopenic purpura in two infants, 163

Newborn infants, annular pancreas in, 80 —, ascites associated with urethral obstruction in, 565	Pregnancy, toxaemia of, hexamethonium bromide therapy for, congenital paralytic ileus in premature
, asphyxia in, due to nasopharyngeal teratoma, 254	Premature infants, anaemia of, early (abstract), 365
——, foetal distress and (abstract), 365	——, ——, effect of cobalt and iron salts on, 85 ——, congenital paralytic ileus in, as complica-
— —, —, foetal distress and (abstract), 365 — —, blood loss during operations on, 304 — —, collodion skin of, 516	tion of hexamethonium bromide therapy for toxaemia of pregnancy, 354
, control of blood sugar level in, 519, convulsions in, prognostic significance of,	- haemoglobin levels in 38
342 , convuisions in, prognostic significance of,	-, retinopathy of, 543 -, value of human milk compared with other
———, fatal poliomyelitis in, 381 ———, haemolytic disease of, and congenital	10003 101, 170
deafness, 309	Pseudohermaphroditism, female, with adrenocortical failure in identical twins, 132
, of diabetic mothers, blood sugar levels in,	Pseudo-hypoparathyroidism, 398
——, petechiae with cyanosis in, 73	Pugh, R. C. B., and Dudgeon, J. A.: Fatal neonatal poliomyelitis, 381
— —, pulmonary hyaline membranes in, 199 —, scrotal gangrene in, 160	, NEWNS, G. H., and DUDGEON, J. A.: Hepatic
———, serum protein levels in African, 110	necrosis in disseminated herpes simplex, 60 Pulmonary artery, aberrant, congenital stridor caused
———, thrombocytopenic purpura in, 75, 163 ———, tissue destruction and renal function in	by, 101
first two days of life, influence of events during last	Purpura, thrombocytopenic, idiopathic, of childhood,
few days in utero on, 495 —————, transitory absence of several clotting	prognosis in, 502
factors in, 290	,, in newborn, 75, 163
Erb's palsy in, 357	
NEWNS, G. H., see Pugh, R. C. B., Newns, G. H.,	R
and Dudgeon, J. A.	Radioiodine in juvenile myxoedema due to ectopic thyroid tissue, 561
O'Brien, D., see Arthurton, M., O'Brien, D., and	REINHOLD, J.: Survival of transfused red cells in
Mann, T.	acute rheumatic fever with reference to a latent haemolytic mechanism, 201
Oedema, generalized, chronic, and hypoproteinaemia of obscure origin, 507	Reticulo-endotheliosis (abstract), 366
,, temporary, of obscure origin, 513	RENDLE-SHORT, J., see Illingworth, R. S., Philpott, M. G., and Rendle-Short, J.
OLDHAM, J. S.: Observations on diagnosis and prog- nosis of congenital heart disease in infancy	Retinopathy of prematurity, 543 Rheumatic fever, acute, survival of transfused red
(abstract), 367	cells in, with reference to a latent haemolytic
Osborn, D. A., see Fisch, L., and Osborn, D. A. Osteosclerosis after sulphamezathine therapy in	mechanism, 201 Rickets, influence of severe illness on, 369
idiopathic hypercalcaemia of infancy, 232	RICKHAM, P. P.: Annular pancreas in newborn, 80
p.	newborn infant, 304
Pandiatric sociation in British Islan 84	ROBERTS, K. D.: Bronchial adenoma in childhood,
Paediatric societies in British Isles, 84 Palsy, Erb's, and unilateral diaphragmatic paralysis	360 Roscoe, J.: Early anaemia of prematurity (abstract),
in newborn, 357 Pancreas, annular, in newborn, 80	365
-, fibrocystic disease of, intestinal obstruction as	S
late complication of, 262 Paralysis, unilateral diaphragmatic, and Erb's palsy	Salmonella enteritis of infancy, effect of chloram-
in newborn, 357	phenicol in, 238
PARK, E. A.: Bone growth in health and disease, 269 : Influence of severe illness on rickets, 369	School cardiac clinic, six-year survey of cases seen at, 317
Parsons, Leonard, Lectures, 1953, 269, 369	SCOTT, G. I., see KERR, J. D., and SCOTT, G. I.
PATTERSON, W. H., and FAWCITT, J.: Non-traumatic mediastinal emphysema in childhood, 451	Scrotum, gangrene of, in newborn baby, 160 Septicaemia complicated by bacterial endocarditis in
PAYNE, W. W.: Diabetes in childhood (abstract), 365	an infant, 144
PEARSON, S., see Greaves, J. L., WILKINS, P. S. W., and PEARSON, S.	Serum protein levels in newborn African infants, 110 Sewage-contaminated water, primary tuberculosis
PELHAM, D. C. T., see BICKEL, H., and THURSBY-	after immersion in, 152
PELHAM, D. C. PERERA, F. J. C., see DAWSON, I. M. P., CRAIG, W. S.,	Sex reversal, hormonal, in a female, 22 SHANKS, R. A., see MACDONALD, A. M., and
and Perera, F. J. C.	SHANKS, R. A.
Perry, C. B., see Apley, J., and Perry, C. B. Petechiae with cyanosis in newborn, 73	Shaw, R. E., see Israelski, M., Kendall, A. C., and Shaw, R. E.
Phaeochromocytoma in childhood, 18	SHORT, J. R., see Illingworth, R. S., Philpott,
PHILPOTT, M. G., see ILLINGWORTH, R. S., PHILPOTT, M. G., and RENDLE-SHORT, J.	M. G., and Rendle-Short, J. SIMPKISS, M. J., see MacFarlane, J. C. W., and
POLANI, P. E.: Some aetiological factors in con-	SIMPKISS, M. J.
genital heart disease (abstract), 367 Poliomyelitis, acute, chronic myeloid leukaemia	Skull, closure of anterior fontanelle, 196. SMALLWOOD, W. C., see CARRÉ, I. J., WOOD, B. S. B.,
presenting as, in child, 78	and SMALLWOOD, W. C. STANIER, M. W., and THOMPSON, M. D.: Serum
Polyneuritis, acute infective, in children, 531	protein levels of newborn African infants, 110
Polyposis, intestinal, associated with melanosis oris,	STAPLETON, T.: Pattern of electrolyte-excretion in
455	babies born to diabetic mothers (abstract), 365

- STEIN, L.: Summary of statistical method in study of blood sugar level in neonatal period, 528
 STEINER, B.: Essential pulmonary haemosiderosis as an immuno-haematological problem, 391
- Stridor, congenital, caused by aberrant pulmonary artery, 101
- Sucrosuria with mental defect and hiatus hernia (abstract), 367
- Sulphamezathine therapy in idiopathic hypercal-caemia of infancy, biochemical changes and osteosclerosis after, 232 SWEETNAM, W. P., and MURPHY, E. F.: Isoniazid in treatment of miliary tuberculosis in children, 338
- Syphilis, congenital, facial and dental manifestations in, differential diagnosis of, 123

- TEMPLE, L. J., see WHITE-JONES, R. H., and TEMPLE,
- Teratoma, nasopharyngeal, asphyxia neonatorum due
- Thallium poisoning, renal and vascular disturbances
- in case of, 443
 Thompson, M. D., see Stanier, M. W., and Thompson, M. D.
- Thrombocytopenic purpura, idiopathic, of childhood, prognosis in, 502
- ———, neonatal, 75, 163
 THURSBY-PELHAM, D. C., see BICKEL, H., and THURSBY-PELHAM, D. C.
- Thyroid tissue, ectopic, juvenile myxoedema due to, radioiodine in, 561
 Tics in childhood, treatment of, review and follow-up
- study, 537
- Tissue destruction in first two days of independent life, influence of events during last few days in utero on, 495
- in utero on, 495
 TODD, R. McL.: Treatment of hypoplastic anaemia after chloramphenicol, 575
 TORP, K. H., see HARNÆS, K., and TORP, K. H.
 Toxaemia of pregnancy, hexamethonium bromide therapy for, congenital paralytic ileus in premature baby as complication of, 354
 TOWNSEND-COLES, W. F.: Report of seven cases of chondro-osteo-dystrophy, 7
 Toxoplasmosis, serology of (abstract), 365
 Trichobezoar, 556
 Tuberculosis, miliary, isoniazid in treatment of, in children, 338

- children, 338 primary, after immersion in sewage-contaminated water, 152
- , pulmonary, in African children, 213
- Twins, gargoylism in, 293

 —, identical, endocardial fibro-elastosis in, 447

 —, female pseudohermaphroditism with
- adrenocortical failure in, 132

 —, monozygotic, mongolism in both of, 55.

11

- Umbilical vein, intra-abdominal, post-natal changes in, 427
- Urethra, obstruction of, associated with ascites in newborn, 565

·W

- WARD, E. M., see MATHESON, W. J., and WARD, E. M. Water, response of infants to large dose of, 104 sewage-contaminated, primary tuberculosis
- after immersion in, 152 WATSON, G. H., see KOMROWER, G. M., and WATSON,
- G. H.
- Weight, birth, and subsequent weight in childhood, relation between, 220
 Welsh, T. M., and Munro, I. B.: Congenital stridor
- WELSH, I. M., and MUNRO, I. B.: Congenital stridor caused by aberrant pulmonary artery, 101
 WHITE-JONES, R. H., and TEMPLE, L. J.: Congenital lobar emphysema, 248
 WIDDOWSON, E. M., see McCance, R. A., Naylor, N. J. B., and WIDDOWSON, E. M.

 —, see also McCance, R. A., and WIDDOWSON, E. M.

- E. M.
 WILKINS, P. S. W., see Greaves, J. L., WILKINS, P. S. W., and Pearson, S.
 WILKINSON, R. H., see Moncrieff, A., and Wilkinson, R. H.
 von Wilberand's disease, investigation of large family affected with, 483
 Windermere Lecture, 1954, 385
 WINTER, S. T., LARON, Z., and MICHAELSON, I. C.:
 Renal and vascular disturbances in case of thallium
- poisoning, 443
 Wolff, S.: Female pseudohermaphroditism with
- adrenocortical failure in identical twins, 132 Wood, B. S. B., see Carré, I. J., Wood, B. S. B., and Smallwood, W. C.

X

Xanthomatosis and honeycomb lung, 127

Young, R. J.: Congenital ectropion of upper lids, 97 —: Mongolism in both of monozygotic twins, 55 YUDKIN, S., see ELPHINSTONE, N. C., MORRIS, M. B., and YUDKIN, S.

Z

ZAUSMER, D. M.: Treatment of tics in childhood, 537

